




REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
TRAFIMET® A81



ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
	01001/KIT	TORCH HEAD COMPLETE WITH HANDLE	
	03050LT	HAND TORCH, 6 m (20 FT) LEADS - 1/8 G	
	03150LT	HAND TORCH, 12 m (40 FT) LEADS - 1/8 G	

TRAFIMET® A101



ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
	01071/KIT	TORCH HEAD COMPLETE WITH HANDLE	
	03070LT	HAND TORCH, 6 m (20 FT) LEADS - 1/8 G	
	03170LT	HAND TORCH, 12 m (40 FT) LEADS - 1/8 G	
	03071LT	HAND TORCH, 6 m (20 FT) LEADS - EURO CONNECTOR	
	03171LT	HAND TORCH, 12 m (40 FT) LEADS - EURO CONNECTOR	

TRAFIMET® A141



ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
	01091/KIT	TORCH HEAD COMPLETE WITH HANDLE	
	03090LT	HAND TORCH, 6 m (20 FT) LEADS - 1/8 G	
	03190LT	HAND TORCH, 12 m (40 FT) LEADS - 1/8 G	
	03091LT	HAND TORCH, 6 m (20 FT) LEADS - EURO CONNECTOR	
	03191LT	HAND TORCH, 12 m (40 FT) LEADS - EURO CONNECTOR	

TRAFIMET® A151


ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
	02001/KIT	TORCH HEAD COMPLETE WITH HANDLE	
	04050LT	HAND TORCH, 6 m (20 FT) LEADS - 1/8 G	
	04150LT	HAND TORCH, 12 m (40 FT) LEADS - 1/8 G	
	04051LT	HAND TORCH, 6 m (20 FT) LEADS - EURO CONNECTOR	
	04151LT	HAND TORCH, 12 m (40 FT) LEADS - EURO CONNECTOR	


REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
S 30® / S 45®


ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
1	CSPR105	ELECTRODE	10
2	CSPE106	SWIRL RING	5
3	CSPD102-10	TIP Ø 1.0	10
4	CSPR110	ELECTRODE 20-30A	10
5	CSPD116-08	TIP 0.8 20-30A	10
6	CSPR106	EXTENDED ELECTRODE	10
7	CSPD103-09	EXTENDED TIP 0.9	10
8	CSPD116	NOZZLE RETAINING CAP	1


A 53® / S 54®


ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
1	CSPR105	ELECTRODE	10
2	CSPE106	SWIRL RING	5
3	CSPD102-10	TIP 1.0	10
4	CSPR106	EXTENDED ELECTRODE	10
5	CSPD103-09	EXTENDED TIP 0.9	10
6	CSPD103-10	EXTENDED TIP 1.0	10
7	CSPC105	RETAINING CAP (A 53)	2
8	CSPC115	RETAINING CAP (S 54)	2
9	CSCV33	SPACER CROWN	2
10	CSCV28	SPACER SPRING	10
N/S	CS51861	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51817	CUTTING GUIDE	1

Ergodani is in no way affiliated with TRAFIMET®. The parts advertised for sale are not genuine TRAFIMET® parts, but are parts made for and by **Ergodani**. Reference to TRAFIMET® machine, torches and numbers are for your convenience only. We reserve the right to substitute genuine TRAFIMET® parts in place of **Ergodani** parts.

REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
A 60®


ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
1	CSPR107	ELECTRODE	10
2	CSPE107	SWIRL RING	5
3	CSPD105-10	TIP 1.0	10
	CSPD105-11	TIP 1.1	10
4	CSPR108	EXTENDED ELECTRODE	10
5	CSPD106-09	EXTENDED TIP 0.9	10
	CSPD106-12	EXTENDED TIP 1.2	10
6	CSPC105	RETAINING CAP	2
7	CSCV33	SPACER CROWN	2
8	CSCV28	SPACER SPRING	10
N/S	CS51861	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51817	CUTTING GUIDE	1


A 60®


ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
1	CSPF107	KIT "A 80" FOR REPLACING "A 60"	1
	COMPLETE WITH	:CONSUMABLE PARTS "A 80"	
		HANDGRIP	
		END FITTING FOR "A 60" CONNECTION	

Ergodani is in no way affiliated with TRAFIMET®. The parts advertised for sale are not genuine TRAFIMET® parts, but are parts made for and by **Ergodani**. Reference to TRAFIMET® machine, torches and numbers are for your convenience only. We reserve the right to substitute genuine TRAFIMET® parts in place of **Ergodani** parts.

REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®


A 80® / P 80®



ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA170	HAND TORCH COMPLETE WITH 6 m CABLE (3/8 G)	1
N/S	CSPA1402	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA180	MACHINE TORCH COMPLETE WITH 6 m CABLE (3/8 G)	1
N/S	CSPA181	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF119	70° TORCH HEAD	1
N/S	CS04280/C	HANDGRIP WITH MICROSWITCH	1
2	CSPF120	180° TORCH HEAD	1
N/S	CSTP61	MACHINE HANDLE	1
3	CSEA125	O-RING	20
4	CSPR107	ELECTRODE	10
5	CSPR109	ELECTRODE LONG LIFE	10
6	CSPE107	SWIRL RING	5
7	CSPD105-10	TIP 1.0	10
	CSPD105-11	TIP 1.1	10
	CSPD105-12	TIP 1.2	10
8	CSPR108	EXTENDED ELECTRODE	10
9	CSPR115	EXTENDED ELECTRODE LONG LIFE	10
10	CSPD106-10	EXTENDED TIP 1.0	10
	CSPD106-12	EXTENDED TIP 1.2	10
11	CSPC115	RETAINING CAP	2
12	CSCV0201	SPACER FOR CONTAC CUTTING	2
13	CSCV33	SPACER CROWN	2
14	CSCV28	SPACER SPRING	10
N/S	CSPF107	KIT FOR REPLACING "A 60"	1
N/S	CS06880	AIR AND POWER CABLE 6 m (3/8G-1/4G) HAND MACHINE TORCH	1
N/S	CS51861	CIRCLE CUTTING GUIDE	1
N/S	CS51817	CUTTING GUIDE	1

REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®

ERGOCUT® A 81® / AUTOCUT® P 81®




ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA1400/1404	HAND TORCH COMPLETE WITH 6 m CABLE (3/8 G - 1/4G)	1
N/S	CSPA1402	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA180	MACHINE TORCH COMPLETE WITH 6 m CABLE (3/8 G)	1
N/S	CSPA181	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF0140	70° TORCH HEAD WITH HANDLE	1
1/A	CS04280/C	HANDGRIP WITH MICROSWITCH	1
2	CSPF0120	180° TORCH HEAD	1
N/S	CSTP61	MACHINE HANDLE	1
3	CSEA125	O-RING	20
4	CSFH0560	DIFFUSOR	5
5	CSPR109	ELECTRODE LONG LIFE	10
6	CSPE107	SWIRL RING	5
7	CSPD105-10	TIP 1.0	10
	CSPD105-11	TIP 1.1	10
	CSPD105-12	TIP 1.2	10
8	CSFH0561	EXTENDED DIFFUSOR	5
9	CSPR115	EXTENDED ELECTRODE LONG LIFE	10
10	CSPD106-10	EXTENDED TIP 1.0	10
	CSPD106-12	EXTENDED TIP 1.2	10
11	CSPC115	RETAINING CAP	2
12	CSCV0201	SPACER FOR CONTAC CUTTING	1
13	CSCV33	SPACER CROWN	1
14	CSCV28	SPACER SPRING	10
N/S	CSPH0130/0132	AIR AND POWER CABLE 6 m (3/8G-1/4G)	1
N/S	CS51861	CIRCLE CUTTING GUIDE	1
N/S	CS51817	CUTTING GUIDE	1

Ergodani is in no way affiliated with TRAFIMET®. The parts advertised for sale are not genuine TRAFIMET® parts, but are parts made for and by **Ergodani**. Reference to TRAFIMET® machine, torches and numbers are for your convenience only. We reserve the right to substitute genuine TRAFIMET® parts in place of **Ergodani** parts.

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

A 90® / P 90®




REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
A 90® / P 90®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA109	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CS06051	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA209	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06151	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA110	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CSPA111	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CS06750	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06751	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF109	70° TORCH HEAD	1
N/S	CS07301	HANDGRIP COMPLETE WITH SWITCH	1
N/S	CS07301.20	SWITCH	1
2	CSPF115	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	20
4	CS60085	FRONT INSULATOR	2
5	CS06004	AIR DIFFUSOR	5
6	CSPR101	ELECTRODE	10
7	CSPE101	SWIRL RING	5
8	CSPD101-11	TIP 1.1	10
	CSPD101-14	TIP 1.4	10
	CSPD101-17	TIP 1.7	10
9	CS06005	EXTENDED DIFFUSOR	5
10	CS52538	EXTENDED ELECTRODE	10
11	CS51159	EXTENDED TIP (MAX 50A)	10
12	CS51159.14	EXTENDED TIP 1.4	10
	CS51159.17	EXTENDED TIP 1.7	10
13	CSPC109/111	RETAINING CAP	1
14	CSPC113	CONTACT RETAINING CAP - FIBER GLASS	1
	CSPC113/V	CONTACT RETAINING CAP - MAX. LIFE	1
15	CSCV23	SPACER FOR CONTACT CUTTING	5
16	CSCV39	LARGE SPACER FOR CONTACT CUTTING	5
17	CS51952	SPRING HOLDER PROTECTION NUT	5
18	CS51911	SPACER SPRING (FITS OVER CS51952)	10
19	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
20	CS51951	SHIELD (MACH.)	5
21	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
22	CS51974	SPACER FOR EXTENDED TIPS HIGH AMP.	5
23	CSCV09	EXTENDED SPACER (HAND)	5
24	CS51959	LOCKING NUT	5
25	CS60380	SPACER W/EXTENDED SPRINGS	2
26	CS60381	EXTENDED SPRINGS (FITS OVER CS60380)	20
27	CSCV11	SPACER SPRING	10
28	CSCV12	DOUBLE POINTED SPACER	2
29	CSCV14	SPACER CROWN	2
30	CSGR60	EXTRACTOR FOR SWIRL RING	1
31	CS60368	WRENCH FOR ELECTRODE	5
N/S	CS04224	AIR AND POWER CABLE 6 m (M14X1) HAND TORCH	1
N/S	CS04234	AIR AND POWER CABLE 12 m (M14X1) HAND TORCH	1
N/S	CS04222	AIR AND POWER CABLE 6 m (M14X1) MACHINE TORCH	1
N/S	CS04232	AIR AND POWER CABLE 12 m (M14X1) MACHINE TORCH	1
N/S	CS51851	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51807	CUTTING GUIDE	1

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

ERGOCUT® A 101® / AUTOCUT® P 101®



REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®


ERGOCUT® A 101® / AUTOCUT® P 101®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA1450/1454	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA1452	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CS06150/C	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CS06151/C	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA110	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA111	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CS06750	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CS06751	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF0145	70° TORCH HEAD WITH HANDLE	1
1/A	CS04280/C	HANDGRIP WITH MICROSWITCH	1
2	CSPF115	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	20
4	CS60085	FRONT INSULATOR	2
5	CS06004	AIR DIFFUSOR	5
6	CSPR101	ELECTRODE	10
7	CSPE101	SWIRL RING	5
8	CSPD101-11	TIP 1.1	10
	CSPD101-14	TIP 1.4	10
	CSPD101-17	TIP 1.7	10
9	CS06005	EXTENDED DIFFUSOR	5
10	CSPR116	EXTENDED ELECTRODE	10
11	CSPE103	INSULATING SPACER	5
12	CSPD111	EXTENDED TIP (MAX 50A)	10
13	CSPD117-14	EXTENDED TIP 1.4	10
	CSPD117-17	EXTENDED TIP 1.7	10
14	CSPC109/111	RETAINING CAP	1
15	CSPC113	CONTACT RETAINING CAP - FIBER GLASS	1
	CSPC113/V	CONTACT RETAINING CAP - MAX. LIFE	1
16	CSCV23	SPACER FOR CONTACT CUTTING	5
17	CSCV39	LARGE SPACER FOR CONTACT CUTTING	5
18	CS51952	SPRING HOLDER PROTECTION NUT	5
19	CS51911	SPACER SPRING (FITS OVER CS51952)	10
20	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
21	CS51951	SHIELD (MACH.)	5
22	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
23	CS51974	SPACER FOR EXTENDED TIPS HIGH AMP.	5
24	CSCV09	EXTENDED SPACER (HAND)	5
25	CS51959	LOCKING NUT	5
26	CS60380	SPACER W/EXTENDED SPRINGS	2
27	CS60381	EXTENDED SPRINGS (FITS OVER CS60380)	20
28	CSCV11	SPACER SPRING	10
29	CSCV12	DOUBLE POINTED SPACER	2
30	CSCV14	SPACER CROWN	2
31	CSGR60	EXTRACTOR FOR SWIRL RING	1
32	CS60368	WRENCH FOR ELECTRODE	5
N/S	CS04224	AIR AND POWER CABLE 6 m (M14X1) HAND TORCH	1
N/S	CS04234	AIR AND POWER CABLE 12 m (M14X1) HAND TORCH	1
N/S	CS04222	AIR AND POWER CABLE 6 m (M14X1) MACHINE TORCH	1
N/S	CS04232	AIR AND POWER CABLE 12 m (M14X1) MACHINE TORCH	1
N/S	CS51851	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51807	CUTTING GUIDE	1

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

A 140® / P 140®



REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®


A 140® / P 140®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA101	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CS06251	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA102	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06351	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA103	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CS06451	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA104	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06551	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF101	70° TORCH HEAD	1
N/S	CS07301	HANDGRIP COMPLETE WITH SWITCH	1
N/S	CS07301.20	SWITCH	1
2	CSPF102	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	20
4	CS60080	FRONT INSULATOR	2
5	CS05004	AIR DIFFUSOR	5
6	CSPR101	ELECTRODE	10
7	CSPE101	SWIRL RING	5
8	CSPD101.11	TIP 1.1	10
	CSPD101-14	TIP 1.4	10
	CSPD101-17	TIP 1.7	10
	CSPD101-19	TIP 1.9	10
	CSPD101-30	TIP GOUGING 3.0	10
9	CS05005	EXTENDED DIFFUSOR	5
10	CS52538	EXTENDED ELECTRODE	10
11	CS51159	EXTENDED TIP (MAX 50A)	10
12	CS51159.14	EXTENDED TIP 1.4	10
	CS51159.17	EXTENDED TIP 1.7	10
	CS51159.19	EXTENDED TIP 1.9	10
13	CSPD101/102	RETAINING CAP	10
14	CSPC103	CONTACT RETAINING CAP - FIBER GLASS	1
	CSPC103/V	CONTACT RETAINING CAP - MAX. LIFE	1
15	CSCV23	SPACER FOR CONTACT CUTTING	12
16	CSCV39	LARGE SPACER FOR CONTACT CUTTING	2
17	CS51952	SPRING HOLDER PROTECTION NUT	5
18	CS51911	SPACER SPRING (FITS OVER CS51952)	10
19	CS51953	SPACER GOUGING	5
20	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
21	CS51951	SHIELD (MACH.)	5
22	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
23	CS51954	SPACER FOR EXTENDED TIPS HIGH AMP.	5
24	CSCV09	EXTENDED SPACER (HAND)	5
25	CS51959	LOCKING NUT	5
26	CS60380	SPACER W/EXTENDED SPRINGS	2
27	CS60381	EXTENDED SPRINGS (FITS OVER CS60380)	20
28	CSCV11	SPACER SPRING	10
29	CSCV12	DOUBLE POINTED SPACER	2
30	CSCV14	SPACER CROWN	2
31	CSCV13	SPACER GOUGING	2
32	CSGR60	EXTRACTOR FOR SWIRL RING	1
33	CS60368	WRENCH FOR ELECTRODE	5
N/S	CS04220	AIR AND POWER CABLE 6 m (M14X1) HAND TORCH	1
N/S	CS04230	AIR AND POWER CABLE 12 m (M14X1) HAND TORCH	1
N/S	CS04222	AIR AND POWER CABLE 6 m (M14X1) MACHINE TORCH	1
N/S	CS04232	AIR AND POWER CABLE 12 m (M14X1) MACHINE TORCH	1
N/S	CS51851	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51807	CUTTING GUIDE	1

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

ERGOCUT® A 141® / AUTOCUT® P141®




REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
ERGOCUT® A 141® / AUTOCUT® P141®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA1500/1502	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA1504	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA1501	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA1505	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA103	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA0145	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA104	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA0146	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF0155	70° TORCH HEAD WITH HANDLE	1
1/A	CS04280/C	HANDGRIP WITH MICROSWITCH	1
2	CSPF102	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	20
4	CS60080	FRONT INSULATOR	2
5	CS05004	AIR DIFFUSOR	5
6	CSPR101	ELECTRODE	10
7	CSPE101	SWIRL RING	5
8	CSPD101-11	TIP 1.1	10
	CSPD101-14	TIP 1.4	10
	CSPD101-17	TIP 1.7	10
	CSPD101-19	TIP 1.9	10
	CSPD101-30	TIP GOUGING 3.0	10
9	CS05005	EXTENDED DIFFUSOR	5
10	CSPR116	EXTENDED ELECTRODE HF	10
11	CSPE103	INSULATING SPACER	5
12	CSPD111	EXTENDED TIP 1.2 (MAX 50A)	10
13	CSPD117-14	EXTENDED TIP 1.4	10
	CSPD117-17	EXTENDED TIP 1.7	10
	CSPD117-19	EXTENDED TIP 1.9	10
14	CSPC101/102	RETAINING CAP	1
15	CSPC103	CONTACT RETAINING CAP - FIBER GLASS	1
	CSPC103/V	CONTACT RETAINING CAP - MAX. LIFE	1
16	CSCV23	SPACER FOR CONTACT CUTTING	2
17	CSCV39	LARGE SPACER FOR CONTACT CUTTING	2
18	CS51952	SPRING HOLDER PROTECTION NUT	5
19	CS51911	SPACER SPRING (FITS OVER CS51952)	10
20	CS51953	SPACER GOUGING	5
21	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
22	CS51951	SHIELD (MACH.)	5
23	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
24	CS51974	SPACER FOR EXTENDED TIPS HIGH AMP.	5
25	CSCV09	EXTENDED SPACER (HAND)	5
26	CS51959	LOCKING NUT	5
27	CS60380	SPACER W/EXTENDED SPRINGS	2
28	CS60381	EXTENDED SPRINGS (FITS OVER CS60380)	20
29	CSCV11	SPACER SPRING	10
30	CSCV12	DOUBLE POINTED SPACER	2
31	CSCV14	SPACER CROWN	2
32	CSCV13	SPACER GOUGING	2
33	CSGR60	EXTRACTOR FOR SWIRL RING	1
34	CS60368	WRENCH FOR ELECTRODE	5
N/S	CS04220	AIR AND POWER CABLE 6 m (M14X1 1/4G) HAND TORCH	1
N/S	CS04230	AIR AND POWER CABLE 12 m (M14X1 1/4G) HAND TORCH	1
N/S	CS04222	AIR AND POWER CABLE 6 m (M14X1 1/4G) MACHINE TORCH	1
N/S	CS04232	AIR AND POWER CABLE 12 m (M14X1 1/4G) MACHINE TORCH	1
N/S	CS51851	CIRCLE CUTTING ATTACHMENT	1
N/S	CS51807	CUTTING GUIDE	1

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

R 145® / R 145 P®





REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®
R 145® / R 145 P®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA129	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CS06921/S	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA130	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06931/S	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA127	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1)	1
N/S	CS06941/S	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA128	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1)	1
N/S	CS06951/S	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF112	70° TORCH HEAD	1
N/S	CS07301	HANDGRIP COMPLETE WITH SWITCH	1
N/S	CS07301.20	SWITCH	1
2	CSPF111	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	20
4	CS60080	FRONT INSULATOR	2
5	CSPR111	ELECTRODE	10
6	CSPE103	INSULATING SPACER	5
7	CSPD109-14	TIP 1.4	10
	CSPD109-16	TIP 1.6	10
	CSPD109-18	TIP 1.8	10
	CSPD109-30	TIP GOUGING 3.0	10
8	CSPR116	EXTENDED ELECTRODE	10
9	CSPD111	EXTENDED TIP 1.2 (MAX 50A)	10
10	CSPD117-14	EXTENDED TIP 1.4	10
	CSPD117-17	EXTENDED TIP 1.7	10
	CSPD117-19	EXTENDED TIP 1.9	10
11	CSPC120	RETAINING CAP	1
12	CSBW139	NOZZLE SHIELD	5
13	CSCV1105	CAGE SPACER	2
14	CSPC103	CONTACT RETAINING CAP - FIBER GLASS	1
	CSPC103/V	CONTACT RETAINING CAP - MAX. LIFE	1
15	CS51952	SPRING HOLDER PROTECTION NUT	5
16	CS51911	SPACER SPRING (FITS OVER CS51952)	10
17	CS51953	SPACER GOUGING	5
18	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
19	CS51951	SHIELD (MACH.)	5
20	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
21	CS51974	SPACER FOR EXTENDED TIPS HIGH AMP.	5
22	CSCV09	EXTENDED SPACER (HAND)	5
23	CS51959	LOCKING NUT	5
N/S	CS04220/S	AIR AND POWER CABLE 6 m (M14X1) HAND TORCH	1
N/S	CS04230/S	AIR AND POWER CABLE 12 m (M14X1) HAND TORCH	1
N/S	CS04222/S	AIR AND POWER CABLE 6 m (M14X1) MACHINE TORCH	1
N/S	CS04232/S	AIR AND POWER CABLE 12 m (M14X1) MACHINE TORCH	1

REPLACEMENT PARTS SUITABLE FOR:

TRAFIMET®

ERGOCUT® A 151® / AUTOCUT® P151®



REPLACEMENT PARTS SUITABLE FOR:
TRAFIMET®

ERGOCUT® A 151® / AUTOCUT® P151®

ITEM	CATALOG NUMBER	DESCRIPTION	STD. QTY
N/S	CSPA1550/1552	HAND TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA1554	HAND TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA1551	HAND TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA1555	HAND TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA127	MACHINE TORCH COMPLETE WITH 6 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA0252	MACHINE TORCH COMPLETE WITH 6 m CABLE (CENTRAL CONNECTOR)	1
N/S	CSPA128	MACHINE TORCH COMPLETE WITH 12 m CABLE (M14X1 - 1/4G)	1
N/S	CSPA0253	MACHINE TORCH COMPLETE WITH 12 m CABLE (CENTRAL CONNECTOR)	1
1	CSPF160	70° TORCH HEAD WITH HANDLE	1
1/A	CS04280/C	HANDGRIP WITH MICROSWITCH	1
2	CSPF111	180° TORCH HEAD	1
N/S	CS03310	MACHINE HANDLE	1
3	CSEA131	O-RING	1
4	CS60080	FRONT INSULATOR	20
5	CSPR111	ELECTRODE	2
6	CSPE103	INSULATOR SPACER	10
7	CSPD109-14	TIP 1.4	5
	CSPD109-16	TIP 1.6	10
	PD109-18	TIP 1.8	10
	CSPD109-30	TIP GOUGING 3.0	10
8	CSPR116	EXTENDED ELECTRODE	10
9	CSPD111	EXTENDED TIP 1.2 (MAX 50A)	10
10	CSPD117-14	EXTENDED TIP 1.4	10
	CSPD117-17	EXTENDED TIP 1.7	10
	CSPD117-19	EXTENDED TIP 1.9	10
11	CSCSPC120	RETAINING CAP	10
12	CSBW139	NOZZLE SHIELD	1
13	CSCV1105	CAGE SPACE	5
14	CSPC103	CONTACT RETAINING CAP - FIBER GLASS	2
	CSPC103/V	CONTACT RETAINING CAP - MAX. LIFE	1
15	CS51952	SPRING HOLDER PROTECTION NUT	1
16	CS51911	SPACER SPRING (FITS OVER CS51952)	5
17	CS51953	SPACER GOUGING	10
18	CS51950	SPACER FOR CONTACT CUTTING (HAND)	5
19	CS51951	SHIELD (MACH.)	5
20	CSCV08	EXTENDED SHIELD (HAND) (MAX. 50A)	5
21	CS51974	SPACER FOR EXTENDED TIPS HIGH AMP.	5
22	CSCV09	EXTENDED SPACER (HAND)	5
23	CS51959	LOCKING NUT	5
N/S	CS04220/S	AIR AND POWER CABLE 6 m (M14X1 1/4G) HAND TORCH	5
N/S	CS04230/S	AIR AND POWER CABLE 12 m (M14X1 1/4G) HAND TORCH	1
N/S	CS04222/S	AIR AND POWER CABLE 6 m (M14X1 1/4G) MACHINE TORCH	1
N/S	CS04232/S	AIR AND POWER CABLE 12 m (M14X1 1/4G) MACHINE TORCH	1